UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,440	04/04/2006	Albert Erdrich	100727-94-WCG	9720
27386 7590 08/29/2008 NORRIS, MCLAUGHLIN & MARCUS, P.A. 875 THIRD AVE 18TH FLOOR NEW YORK, NY 10022			EXAMINER	
			SRIVASTAVA, TARUN K	
			ART UNIT	PAPER NUMBER
			3732	
			MAIL DATE	DELIVERY MODE
			08/29/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/574,440	ERDRICH ET AL.			
Office Action Summary	Examiner	Art Unit			
	TARUN K. SRIVASTAVA	3732			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>04 Ar</u> This action is FINAL . 2b)☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-6 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-6 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examined 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the contraction.	r election requirement. r. epted or b)⊡ objected to by the B drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correcti 11) The oath or declaration is objected to by the Ex		• •			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 04/04/06.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/574,440 Page 2

Art Unit: 3732

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: Please update first line of specification to claim foreign priority. Appropriate correction is required.

Claim Objections

2. Claims 4-6 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claims 4-6 do not further limit method steps from claim 3.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claim 3 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 3 depends from claim 1, which is directed to a set for repair. Therefore, it is unclear what the scope of the claim is directed to: a method or a set. In addition, it does not meet the infringement test (see MPEP 608.01(n) III – Infringement Test). Further, the claim is indefinite because there are no steps of 'performing such repair addition or restoration' in the body of the claim.

Application/Control Number: 10/574,440 Page 3

Art Unit: 3732

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Ibsen (US 4,256,603).

Regarding claims 1 and 2, Ibsen adequately discloses a set 9 for repair, additions and restorations of dental prostheses that includes:

- a light curing repair material (column 2, line 63 column 3 line 5, particularly ingredient 5),
- a diamond grinder (column 4, lines 24 30);
- a bonding agent solution (column 3, lines 16 35);
- a mixing plate 23.

Furthermore, with respect to claims 3-6, Ibsen discloses the use of the aforementioned kit for the purpose of repairing, restoring and adding to dental prosthetics (column 5, line 17 - column 6, line 45; also, figures 2-6).

(Note: it has not been explicitly disclosed by applicant what the difference is between 'additions' and restoration/repairing. Examiner is interpreting the term to encompass any addition of material that is performed during the course of repair of dental prostheses, as is best understood in light of the specification).

Application/Control Number: 10/574,440 Page 4

Art Unit: 3732

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO – 892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TARUN K. SRIVASTAVA whose telephone number is (571)270-3769. The examiner can normally be reached on M - F 5:30 - 2:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Respectfully, TKS /T. K. S./ Examiner, Art Unit 3732 08/21/08

/Cris L. Rodriguez/ Supervisory Patent Examiner, Art Unit 3732 Application/Control Number: 10/574,440

Page 5

Art Unit: 3732